

The Answer® Product Application Information



General Agriculture
Soil, Seed and Foliar
Application Information

for
Sugarcane

Products:

The Bio-N-Liven Answer®
The Mineral Electrolyte Answer®
The Frozen-Flame Answer®
The Nano-Ag Answer®

Note: Application rates and information are for 'general use' only. They have been compiled over the previous 20 years from field tests, long-term usage and observations by growers and product Representatives. Such work is ongoing and this table may be updated as more information is made available. Please also read product labels and check with your product Representative.

© 1995, Rev: 2000 & 2017
15611 West 6th Avenue, Golden, CO 80401-5051, USA
www.ECandS.bio

NOTE: The "App. Rate" suggested is for a crops 'growing season'. Should you apply multiple times during the season, the amount indicated may be divided by that number of applications.

The Answer® Product Application Information

Sugarcane

Soil Application

The Answer® Products	App. Rate	App. Time	Dilution Rate	Application Methods	Field Observations
Bio-N-Liven Answer®	Good and Moderate Soils: 16 fl oz/acre; Problem Soil: 24 fl oz/acre	Planting	Ground - at least 1:100	Banded - Ground - Plant sugarcane pieces as usual. Spray diluted product in furrows with sugarcane pieces. After application cover furrows with soil. Rain or irrigation after application will improve performance.	INCREASED: Soil fertility, water holding capacity and drainage, soil aeration, neutralization of soil pH
Frozen-Flame Answer®	Good and Moderate Soils: 12-16 fl oz/acre; Problem Soil: 15-20 fl oz/acre	Planting	Ground - at least 1:100	Banded - Ground - Plant sugarcane pieces as usual. Spray diluted product in furrows with sugarcane pieces. After application cover furrows with soil. Rain or irrigation after application will improve performance.	INCREASED: Soil fertility, water holding capacity and drainage, soil aeration, neutralization of soil pH
Nano-Ag Answer® (Hydrated & Activated*)	Good and Moderate Soils: 32 fl oz/acre; Problem Soil: 44 fl oz/acre	Planting	Ground - at least 1:100	Banded - Ground - Plant sugarcane pieces as usual. Spray diluted product in furrows with sugarcane pieces. After application cover furrows with soil. Rain or irrigation after application will improve performance.	INCREASED: Soil fertility, water holding capacity and drainage, soil aeration, neutralization of soil pH

*Hydrate & Activate: For every 90 to 100 gm dry product, hydrate in approximately 3.8 lt (1 gl US) non-chlorinated water for 48 hrs in a cool place out of direct sunlight.

NOTE: The "App. Rate" suggested is for a crops 'growing season'. Should you apply multiple times during the season, the amount indicated may be divided by that number of applications.

The Answer® Product Application Information

Sugarcane

Foliar Application

The Answer® Products	App. Rate	App. Time	Dilution Rate	Application Methods	Field Observations
Mineral Electrolyte Answer®	3 fl oz/acre	Twice: 1st application when plants are approx. 36 inches high. 2nd application - 30-45 days before harvest	Aerial - 1:20 to 1:50 Ground - at least 1:100 Dilution rate may vary depending on spray equipment used.	Spray diluted product evenly on foliage. For best uptake, apply product in evening or early morning. Heavy rain or aerial irrigation within 24 hours of application will diminish product effectiveness.	IMPROVED: Vigor of plants, yield, sugar content
Frozen-Flame Answer®	1-2 fl oz/acre	Twice: 1st application when plants are approx. 36 inches high. 2nd application - 30-45 days before harvest	Aerial - 1:20 to 1:50 Ground - at least 1:100 Dilution rate may vary depending on spray equipment used.	Spray diluted product evenly on foliage. For best uptake, apply product in evening or early morning. Heavy rain or aerial irrigation within 24 hours of application will diminish product effectiveness.	IMPROVED: Vigor of plants, yield, sugar content
Nano-Ag Answer® (Hydrated & Activated*)	5 fl oz/acre	Twice: 1st application when plants are approx. 36 inches high. 2nd application - 30-45 days before harvest	Aerial - 1:20 to 1:50 Ground - at least 1:100 Dilution rate may vary depending on spray equipment used.	Spray diluted product evenly on foliage. For best uptake, apply product in evening or early morning. Heavy rain or aerial irrigation within 24 hours of application will diminish product effectiveness.	IMPROVED: Vigor of plants, yield, sugar content

*Hydrate & Activate: For every 90 to 100 gm dry product, hydrate in approximately 3.8 lt (1 gl US) non-chlorinated water for 48 hrs in a cool place out of direct sunlight.

NOTE: The "App. Rate" suggested is for a crops 'growing season'. Should you apply multiple times during the season, the amount indicated may be divided by that number of applications.